


Page 1

Part # Part # 100-009 100-006 100-010 100-007 100-011 100-008 BNC Conn. MicroDot Conn. Microdot conn. Air Side Vac Side 12.0 Air Side 0 ő 🌢 Vacuum Side .125" Ultra Torr Fitting (3 Total) 1/4" Dia. Cooling tubes (2) 1" Bolt Feedthrough 1" Bolt 2 MicroDot to MicroDot Conn., 1 Air Tube and 2 Fluid 1 MicroDot to BNC Conn. 2, 1/4" O.D. Cooling Tubes, with 1/8" Compression Fittings on each Tube Tubes Part #100-006 Part #100-009 Dwg: 100-006 3/16" SS Tube Microdot Conn. 3/16" SS tubes 2 each Microdot conn. 3 each 0 0 0 0 1" Bolt Feedthrough 3 MicroDot to MicroDot Conn. 2, 3/16" O.D. Cooling Tubes 1" Bolt 1 MicroDot to BNC cVac anufacturing, Inc. cVac anufacturing, Inc. Conn., 2 Fluid Tubes, and 1 Air Tube e:1" bolt single /shutter Part #100-010 Part #100-007 Negrance: Sheet Dwg: XX ±010 XX +005 1 of 1 100-007 Microdot conn. 3/16" Tubes (3) MicreDot Connector Air Side Vacuum Side Bolt Feedthrough 2 MicroDot to MicroDot 3.00 2, 3/16" O.D. Cooling cVac anufacturing, Inc. 2.00 " Bolt Feedthrough Tubes 5 MicroDot to MicroDot 1, 3/16" O.D. Air Tube Conn. Tolerance: Sheet Dwg: 100-008 Part #100-008 Part #100-011 Tolerance: Sheet Dv .XX ±.010 .XXX +005 1 of 1

Page 2



Page 3