



Page 1

Part # Part # 100-009 100-006 100-010 100-007 100-011 100-008 BNC Conn. MicroDot Conn. Microdot conn. Air Side Vac Side 12.0 Air Side 0 ő 🌢 Vacuum Side .125" Ultra Torr Fitting (3 Total) 1/4" Dia. Cooling tubes (2) 1" Bolt Feedthrough 1" Bolt 2 MicroDot to MicroDot Conn., 1 Air Tube and 2 Fluid 1 MicroDot to BNC Conn. 2, 1/4" O.D. Cooling Tubes, with 1/8" Compression Fittings on each Tube Tubes Part #100-006 Part #100-009 Dwg: 100-006 3/16" SS Tube Microdot Conn. 3/16" SS tubes 2 each Microdot conn. 3 each 0 0 0 0 1" Bolt Feedthrough 3 MicroDot to MicroDot Conn. 2, 3/16" O.D. Cooling Tubes 1" Bolt 1 MicroDot to BNC cVac anufacturing, Inc. cVac anufacturing, Inc. Conn., 2 Fluid Tubes, and 1 Air Tube e:1" bolt single /shutter Part #100-010 Part #100-007 Negrance: Sheet Dwg: XX ±010 XX +005 1 of 1 100-007 Microdot conn. 3/16" Tubes (3) MicreDot Connector Air Side Vacuum Side Bolt Feedthrough 2 MicroDot to MicroDot 3.00 2, 3/16" O.D. Cooling cVac anufacturing, Inc. 2.00 " Bolt Feedthrough Tubes 5 MicroDot to MicroDot 1, 3/16" O.D. Air Tube Conn. Tolerance: Sheet Dwg: 100-008 Part #100-008 Part #100-011 Tolerance: Sheet Dv .XX ±.010 .XXX +005 1 of 1


Page 2




Page 3




Page 4



Page 5



Page 6




Page 7


300-003 300-008 300-005 300-009 300-007 300-010 1 1/4"-12 UNS-1A 1 1/4"-12 UNS-1A Ø3/16" SS Tube 0 0 12.0 1.85 → 2.00 1 1/4" (32mm) Bolt with 1 MicroDot to BNC 1 1/4" (32mm) Bolt 1 MicroDot to BNC Conn., cVac anufacturing, Inc. cVac anufacturing, Inc. Conn. 2 Fluid Tubes (3/16" O.D.) e: 1 1/4" Bolt Single FT tle: 1 1/4" Bolt Single FT 64/ Date: 02-04-93 64/ Date: 02-04-93 Part #300-008 Part #300-003 1 1/4"-12 UNS-1A MicroDot Conn. (4) BNC Conn BNC Conn. (4) Ø3/16" SS Tube 0 000 0 0 0 1.55 12.0 1.85 2.0 1 1/4" (32mm) Bolt 2 MicroDot to MicroDot conn., 2 Fluid Tubes and 1 Aur Tube(all 1 1/4" (32mm) Bolt with 4 MicroDot to BNC Conn. Conn. Part #300-009 itle: 1 1/4" Bolt Dual FT
All surfaces 64 Date:
Break all corners 02-04-93 3/16" O.D.) Part #300-005 Tolerance: Sheet Dwg: XX ±.010 XXX ±.005 1 of 1 300-009 1/8" Compression 1 1/4"-12 UNS-1A Fittings (2) BNC Conn. Ø3/16" SS Tube BNC Conn. 0 \bigcirc 0 0 0 0 1.85 2.00 1 1/4" (32mm) Bolt 1 MicroDot to BNC Conn., 2 Fluid tubes W/1/8" Compression Fittings Part #300-010 cVac anufacturing, Inc. cVac anufacturing, Inc. 1 1/4" (32mm) Bolt 1 MicroDot to BNC Conn., Title: 1 1/4" Bolt Single FT 2 Fluid Tubes and 1 Air Tube(all 3/16" O.D.) Itle: 1 1/4" Bolt Feedthrough urfaces 64 Date: 02-04-93 surfaces 44 Date:
eak all corners 02-04-93 Part #300-007

Part #


Page 8



Page 9



Page 10



Page 11

Part # Part # 700-009 700-001 700-010 700-002 700-011 700-003 FRONT SIDE VIEW 1.00 30.00 #6-32 Mounting Holes Both Sides Of Sensor 1.29 .570 3/16" O.D. Cooling Tubes MICRODOT CONN. 1/8" O.D. Cooling Tubes 1.00 BACK SIDE VIEW SHOWING BACK COVER PLATE .125" SS Air Line Shutter Actuator cVac anufacturing, Inc. cVac anufacturing, Inc. **Dual Sensor** Title: Dual Sensor/Shutter

All surfaces 44 Date: 02-02-93 Single Sensor All surfaces 64/ Date: 3/2/92 3/16" O.D. Cooling Tubes 1/8" Cooling Tubes Part #700-009 Tolerance: Sheet

XX ±.010


XXX ±.005

1 of 1 Part #700-001 Dwg: 700-009 Shutter FRONT SIDE VIEW 30.00 -1.25 - .570 #6-32 Mounting Holes Both Sides Of Sensor .125" SS Cooling Lines .125" SS Air Line MICRODOT CONN. 3/16" O.D. Cooling Tubes 1.00 BACK SIDE VIEW SHOWING BACK COVER PLATE 0 cVac anufacturing, Inc. cVac anufacturing, Inc. 0 Shutter Actuator **Dual Sensor** Single Sensor 1/8" O.D Cooling Tubes 1/8" Air Line All surfaces 64 Date: 3/2/92 3/16" O.D. Cooling Tubes Part #700-002 Part #700-010 30.0 30.00 Shutter 1.031 1.031 .125" SS Air Line .125" SS Cooling Lines .570 1/4" O.D. Cooling Tubes Shutter Actuator cVac anufacturing, Inc. 1=1 Single Sensor/Shutter Single Sensor 64/ Date: 02-02-93 1/8" Cooling Tubes 64 Date: 3/2/92 1/4" O.D. Cooling Tubes Part #700-011 Part #700-003

Page 12

Part # 700-066 700-062 700-088 700-063 700-125 700-065 3/16" O.D. Cooling Lines Top View **Bottom View** View Shows 1/8" SS Air Line Ø.950 Microdot Connector Right Angle Sensor Right Angle Dual Sensor with 3/16" O.D. Cooling 1/8" O.D. Cooling Tubes le: Right Angle Dual Sensor Tubes Part #700-062 Part #700-066 30.00 1.031 View Shows Shutter Extended 1/8" SS Air Line 3/16" SS Cooling Lines 3/16" SS Cooling Lines 1/8" SS Air Line Shutter Actuator cVac anufacturing, Inc. Right Angle Dual Sensor/Shutter Single Sensor/Shutter 3/16" O.D. Cooling Tubes 3/16" O.D. Cooling Tubes Part #700-063 Single Sensor/Shutter
faces 64/ Date:
02-02-93 1/8" O.D. Cooling Lines Shutter 30.00 Top View **Bottom View** Ø1.078 .125" SS Cooling Lines Ø.950 Microdot Connector 1.122 .125" SS Air Line Right Angle Sensor cVac anufacturing, Inc. cVac anufacturing, Inc. with 1/8" O.D. Cooling Dual Sensor, 1 crystal Shuttered Tubes le: Dual Sensor/Shutter
Ill surfaces 64 Date:
reak all corners 02-02-93 Part# 700-125 Part #700-065

Page 13



Page 14


Part # Part # 700-001Coil 700-011Coiled 700-065Coil 700-001IVO IVO-100 700-065IVO Coiled Cooling and Air 4.00 Min. |-Standard Single Sensor Standard Single Sensor/Shutter 1/8" Lines(3) 1/8" Cooling Tubes Single Sensor/Shutter cVac anufacturing, Inc. cVac anufacturing, Inc. Single Sensor Coiled Lines Part #700-001coil Coiled Cooling and Air Lines Part #700-011coil In-Vac Oscillator W/3/16" Tube Standard McVac Sensor 4.00 Min. |-1/8" Cooling Tubes Right Angle Sensor 1/8" Cooling Tubes Thin Film Sensor with In-Vac cVac anufacturing, Inc. cVac anufacturing, Inc. Oscillator Right Angle Sensor with coiled lines Part #700-065coil Part #700-001IVO 64 Date: In-Vac Oscillator W/3/16" Tube IVO-100 Oscillator 1.125 30.0 In-Vacuum Oscillator Install on the "cooling in" Line of the Sensor Right Angle Sensor with In-Vac Oscillator Part #IVO-100

Page 15


Part #700-065IVO 6" In-Vac Cable provided Dual Sensor Parts List Single Sensor Parts List

Part #


700-067 Rebuild Kit




Page 16



Page 16A



Page 17



Page 18


Part # 800-008 800-024 800-013 800-025 800-023 800-086 2 3/4" ConFlat Flange TIG Welded Standard Single, Sensor Standard 1" Bolt Feedthrough 1/8" O.D. Tubes Coiled 3/16" Dia. Cooling Tubes And Air Line Dual Sensor on a 2 3/4" CF Flange Single Sensor on a 1" Bolt cVac anufacturing, Inc. In Vacuum Cables with coiled cooling lines Included Specify L1 and L2 Dimensions Specify L Dimension Part #800-024 Part# 800-008 1/8" O.D. Tubes Coiled Crystal Face 2 3/4" ConFlat Flange Ф (Q) 3/16" Dia. Cooling Tubes Tubes Thru 3/16" Dia. Cooling Tubes Single Sensor on a 2 3/4" CF with coiled cooling lines Right Angle Sensor on a 1" Bolt Feedthrough cVac anufacturing, Inc. Specify L Dimension Specify L1 and L2 Dimensions In Vac Cables Included I surfaces 64 Date: 5-2-97 In-Vac Cable Included Part #800-013 Part #800-025 Crystal Face 2 3/4" ConFlat Flange 3/16" Dia. Cooling In-Vac Coax Cable BNC Conn. Lines, thru NW 40 Flange 3/16" Dia. SS Cooling Tubes Right Angle Sensor welded to a 2.75" CF Flange Specify "L" Dimension and any Bend Configuration Part #800-086 In Vacuum Cable RA Sensor, 2.75° CF many.

Il surfaces 64/ Date:
7-8-92 Specify Length Included In-Vac Cable included Part #800-023


Page 19

Part # Part # 800-090 800-087 800-001IVO 800-088 800-003IVO 800-089 Cooling Tubes NW-40 Flange Crystal Face 3/16" Dia. Cooling 1" Bolt Feedthrough IVO-100 Oscillator Lines, thru Œ MicroDot Conn. (3) BNC Conn. cVac anufacturing, Inc. cVac anufacturing, Inc. In-Vacuum Oscillator Specify "L" Dimension Price Includes 2 Cables In-Vac Cable Included Specify L Dimension Sensor/Feedthrough surfaces 64/ Date: 64 Date: Part #800-087 Part #800-090 NW-50 Flange IVO-100 Oscillator 3/16" Dia. Cooling Lines, thru Sensor on a 1" Bolt With In-Vac Oscilaator In-Vac Cables Included Part #800-088 Sensor/Feedthrough surfaces 64/ Date: Specify L Dimension Specify Length Part #800-001IVO In-Vac Cable included 2 3/4" CF Flange NW-50 Flange 3/16" Dia. Cooling IVO-100 Oscillator Crystal Face Lines, thru Œ - 6.0 **-**BNC Conn. Part #800-003IVO cVac anufacturing, Inc. cVac anufacturing, Inc. Sensor on a 2 3/4" CF With In-Vac Oscillator In-Vac Cables Included In-Vac Cable Included Specify L Dimension Specify L Dimension Part #800-089


Page 20




Page 21



Page 22



Page 23




Page 24

930-009 930-040 930-010 930-041 930-011 930-042 1/2"-13 Thread 1/2"-13 Thread 1/8" O.D. Cooling Tubes (2) BNC Conn. Microdot Conn. **(** () .875 Flats .875 Flats Vac Side Vac Side -2.50 -1.80 1.0 Dia. 1.0 Dia. Viton O-Ring Viton O-Ring 1/2" Bolt MicroDot to 1/2" Bolt Feedthrough BNC Conn., 2, 1/8" Cooling Tubes Part #930-009 Part #930-040 1 Preliminary
Rev Description 1/2"-13 Thread 12.0 BNC Conn. Microdot Conn. () .875 Flats Vac Side 1/4" O.D. SS Tube 1/8" NPT SS 1.0 Dia. 1.250 Fitting 1/8" NPT with 1/4" cVac anufacturing, Inc. cVac anufacturing, Inc. 1/2" Bolt MicroDot to O.D. SS Tube BNC Conn. Part #930-041 Date: Scale: 92/1 Part #930-010 Microdot Conn. Microdot Conn. 3/8-24 Thread () .875 Vac Side 12.0 **←** 2.5 1.0 Dia. 3/8" O.D. SS Tube 1/4" NPT SS Fitting Viton O-Ring 3/8" Bolt Feedthrough cVac anufacturing, Inc. cVac anufacturing, Inc. MicroDot to Microdot 1/4" NPT with le: 3/8" Bolt Conn. 3/8" SS Tube Part #930-042 Part #930-011

Part #

Page 25



Page 26